

ULD

■ Dimensions

Rated Voltage (V) (code)	Rated Capacitance (μF)	Case Size φD×L (mm)	tan δ	Leakage Current (μA) (at 20°C after 2 minute)	Rated Ripple (mArms) (105°C/100kHz)	Part Number
10 (1A)	330	8×11.5	0.45	33	330	ULD1A331MPD
16 (1C)	220	8×11.5	0.35	35.2	330	ULD1C221MPD
	270	8×11.5	0.35	43.2	330	ULD1C271MPD
25 (1E)	150	8×11.5	0.30	37.5	330	ULD1E151MPD
35 (1V)	100	8×11.5	0.22	35	330	ULD1V101MPD
50 (1H)	100	8×11.5	0.19	50	270	ULD1H101MPD
63 (1J)	47	8×11.5	0.17	29.61	240	ULD1J470MPD
100 (2A)	22	8×11.5	0.15	22	230	ULD2A220MPD

Rated Voltage (V) (code)	Rated Capacitance (μF)	Case Size φD×L (mm)	tan δ	Leakage Current (μA) (at 20°C after 1 minute)	Rated Ripple (mArms) (105°C/120Hz)	Part Number
160 (2C)	15	8×11.5	0.24	196	92	ULD2C150MPD
	22	10×12.5	0.24	240.8	121	ULD2C220MPD
	33	10×16	0.24	311.2	158	ULD2C330MPD
200 (2D)	10	8×11.5	0.24	180	80	ULD2D100MPD
	18	10×12.5	0.24	244	113	ULD2D180MPD
	27	10×16	0.24	316	149	ULD2D270MPD
400 (2G)	2.2	8×11.5	0.24	128	40	ULD2G2R2MPD
	2.7	8×11.5	0.24	143.2	43	ULD2G2R7MPD
	3.3	8×11.5	0.24	152.8	47	ULD2G3R3MPD
	3.9	10×12.5	0.24	162.4	57	ULD2G3R9MPD
	4.7	10×12.5	0.24	175.2	61	ULD2G4R7MPD
	5.6	10×12.5	0.24	189.6	64	ULD2G5R6MPD
	6.8	10×16	0.24	208.8	85	ULD2G6R8MPD
450 (2W)	8.2	10×16	0.24	231.2	88	ULD2G8R2MPD
	5.6	10×16	0.24	200.8	58	ULD2W5R6MPD
	6.8	10×16	0.24	222.4	62	ULD2W6R8MPD
	8.2	10×20	0.24	247.6	88	ULD2W8R2MPD
	10	10×20	0.24	280	92	ULD2W100MPD
	15	12.5×20	0.24	370	140	ULD2W150MHD
	22	12.5×25	0.24	496	240	ULD2W220MHD
	22	16×20	0.24	496	292	ULD2W220MHD6
	27	16×20	0.24	586	305	ULD2W270MHD
	33	16×25	0.24	694	392	ULD2W330MHD
	33	18×20	0.24	694	312	ULD2W330MHD6
47	18×25	0.24	946	480	ULD2W470MHD	
68	18×30.5	0.24	1324	520	ULD2W680MHD	

For cut leads, formed leads or taped parts, please add the appropriate code after the size code (12th digit).
If there is no size code in the part number, please add size code "1" and then add the appropriate code.

- For formed lead or taped product specifications and minimum order quantity, please refer to the Guidelines for Aluminum Electrolytic Capacitors.