

Absolute rotary encoder ENA58PL-S***-B17

- Solid shaft
- 30 Bit multiturn
- High accuracy due to photoelectric sampling
- High resolution and accuracy
- Mechanical compatibility with all major encoders with fieldbus interface
- Status LEDs

Absolute rotary encoder with photoelectric sampling and PROFINET interface










Function

The absolute encoders with PROFINET IO interface and precious photoelectric sampling can be used in all PROFINET applications. Thanks to the Encoder Profile 4.2 and the IRT mode, they are ideally suited for I4.0 applications.

Dimensions







Technical Data

General specifications		
Detection type		photoelectric sampling
Device type		Absolute rotary encoder
Linearity error		≤ ± 0.02 ° (14 16 bit)
UL File Number		E223176 "For use in NFPA 79 Applications only", if UL marking is marked on the product.
Electrical specifications		
Operating voltage	U _B	10 30 V DC
Power consumption	P ₀	approx. 4 W
Time delay before availability	t _v	<15 s
Output code		binary code
Code course (counting direction)		programmable, cw ascending (clockwise rotation, code course ascending) cw descending (clockwise rotation, code course descending)
Interface		
Interface type		PROFINET IO
Device profile		Encoder Profile V4.2
Resolution		
Single turn		up to 16 Bit
Multiturn		up to 14 Bit
Overall resolution		up to 30 Bit
Transfer rate		100 MBit/s
Cycle time		≥ 250 µs
Connection		
Connector		Ethernet: 2 sockets M12 x 1, 4-pin, D-coded Supply: 1 plug M12 x 1, 4-pin, A-coded
Standard conformity		
Degree of protection		DIN EN 60529, Aluminum version: shaft side: IP64 (without shaft seal)/IP66 (with shaft seal) housing side: IP65 Stainless steel version (INOX): completely IP67
Climatic testing		DIN EN 60068-2-3, no moisture condensation
Emitted interference		EN 61000-6-4:2007
Noise immunity		EN 61000-6-2:2005
Shock resistance		DIN EN 60068-2-27, 100 g, 6 ms
Vibration resistance		DIN EN 60068-2-6, 10 g, 10 1000 Hz
Approvals and certificates		
UL approval		cULus Listed, General Purpose, Class 2 Power Source , if UL marking is marked on the product.
Ambient conditions		
Operating temperature		-40 85 °C (-40 185 °F)
Storage temperature		-40 85 °C (-40 185 °F)
Relative humidity		98 % , no moisture condensation
Mechanical specifications		
Material		
Combination 1		housing: powder coated aluminum flange: aluminum shaft: stainless steel
Combination 2 (Inox)		housing: stainless steel 1.4305 / AISI 303 flange: stainless steel 1.4305 / AISI 303 shaft: stainless steel 1.4305 / AISI 303
Combination 3 (A)		housing: stainless steel 1.4404 / AISI 316L flange: stainless steel 1.4404 / AISI 316L shaft: stainless steel 1.4112 / AISI 440B
Mass		approx. 370 g (combination 1) approx. 860 g (combination 2/3)
Rotational speed		max. 12000 min ⁻¹ for IP65 max. 3000 min ⁻¹ for IP66/IP67

Technical Data Moment of inertia 50 gcm² Starting torque < 5 Ncm Shaft load 40 N Axial Radial 110 N

Type Code

Typo oodo					
Structure of the typ	e code				
E N A 5	8 P L - S (1) (1) (2) (2) (3) - (4) (4) (5) (5) B 1 7 - R H 2				
ENA	Device type				
ENA	Abolute rotary encoder				
58	Size				
58	Housing diameter 58 mm				
PL	Version				
PL	Performance Line				
S	Shaft type				
S	Solid shaft				
(1) (1)	Shaft diameter				
06	6 mm				
10	10 mm				
(2) (2)	Flange				
CA	Clamping flange, housing and flange in aluminum, shaft in stainless steel				
C2	Clamping flange, housing, flange and shaft in stainless steel 1.4305 / AISI303 (V2A)				
C4	Clamping flange V4A, housing and flange in stainless steel 1.4404 / AISI316L (V4A), shaft in stainless steel 1.4112 / AISI440B				
•					

(2) (2)	Flange		
CA	Clamping flange, housing and flange in aluminum, shaft in stainless steel		
C2	Clamping flange, housing, flange and shaft in stainless steel 1.4305 / AISI303 (V2A)		
C4	Clamping flange V4A, housing and flange in stainless steel 1.4404 / AISI316L (V4A), shaft in stainless steel 1.4112 / AISI440B		
SA	Servo flange, housing and flange in aluminum, shaft in stainless steel		
S2	Servo flange, housing, flange and shaft in stainless steel 1.4305 / AISI303 (V2A)		
S4	Servo flange V4A, housing and flange in stainless steel 1.4404 / AISI316L (V4A), shaft in stainless steel 1.4112 / AISI440B		

(3)	Degree of protection	
5	IP65	
7	IP67	

(4) (4)	Multiturn resolution		
00	Singleturn rotary encoder		
12	Multiturn rotary encoder, 12 bit		
14	Multiturn rotary encoder, 14 bit		

(5) (5)	Singleturn resolution
13	13 Bit
16	16 Bit

B17	Interface, electric
B17	PROFINET

RH2	Connection type	
RH2	Radial connection alignment, Bus cover with 2 sockets / plug M12 x 1	

Release date: 2023-12-20 Date of issue: 2023-12-20 Filename: t209829_e	ng.pdf
elease date: 2023-12-20 Date of issue: 2023-12-20 Fi)9829_e
elease date: 2023-12-20 Date of issue: 2023-12-20 Fi	name: t2
elease date: 2023-12-20 Date of issue: 202	-20 Fi
elease date: 2023-12-20 D.	8
elease date: 2023-12-20 D.	e of issu
elease date: 2023-	
Ф	023
Ф	lease dat
	Ф


Pin	Male connector M12 x 1, 4-pin, A-coded	Female connector M12 x 1, 4-pin, D-coded
1	Supply voltage +U _B	Tx +
2	-	Rx +
3	0 V	Tx -
4	-	Rx -
	2 4	4 000 2

Indication

Diagnostic LEDs

LED	Color	Description for LED = ON	
Active1	Yellow	Incoming and outgoing data traffic for port 1	
Link1*	Green	Connection to other Ethernet devices on port 1	
Active2	Yellow	Incoming and outgoing data traffic for port 2	
Link2*	Green	Connection to other Ethernet devices on port 2	
Stat1	Green	Status 1, details see table below	
Stat2	Red	Status 2, details see table below	

^{*} flashes with 2 Hz if engineering identification call is activated and link connection is available



Stat1 (green)	Stat2 (red) bus failure	Meaning	Cause
off	off	No power	
on	on	No connection to another device	• bus disconnected
		Criteria: no data exchange	Master not available / switched off
on	flashes 1)	Parameterization fault, no data	Slave not configured yet or wrong configuration
		exchange	Wrong station address assigned (but not outside the permitted range)
		Criteria: data exchange correct.	and permitted rainger,
		J	Actual configuration of the slave differs from the
		However, the slave did not switch	nominal configuration
		to the data exchange mode.	
on	off	Data exchange.	
		Slave and operation ok.	

¹⁾ flashing frequency 0.5 Hz for at least 3 seconds